

Innovative Design, Efficient Performance
and Quality Build.

All over the world the name Elica is
synonymous with efficiency, innovation
and design in the production of cooker
hoods.

Beautiful, distinctive and stylish design is
the unifying element and core philosophy
for our entire range of cooker-hoods.
Universally acclaimed for their radically
innovative appearance, our products are
far more than simple hoods for domestic
kitchens: they are key personalities that
define the room in which they are instal-
led.

Elica no longer design hoods: we design
the air itself.

Elica Collection

Elica collection represents the pinnacle of
our entire range. We leave no stone
unturned in pushing the boundaries of
design or revolutionising the concept of
what a cooker hood should be. In terms of
both aesthetics and quiet performance our
finest models create a stunning focal point
for modern kitchen design; truly a breath
of fresh air in form and function.





Star



DESIGN **LORENZO LISPI, SAURO SALVIA**



Gold Stream

New



DESIGN LORENZO LISPI, FABRIZIO CRISÀ



Black Stream

New



DESIGN LORENZO LISPI, FABRIZIO CRISÀ



Victoria

New



DESIGN LORENZO LISPI, FABRIZIO CRISÀ, SAURO SALVIA



Ola

New



DESIGN LORENZO LISPI, FABRIZIO CRISÀ



Space

New

eds DeepSilence



DESIGN **LORENZO LISPI, FABRIZIO CRISÀ**



Om Special Edition
New



DESIGN **LORENZO LISPI**



Om Special Edition
New



DESIGN **LORENZO LISPI**



0m



DESIGN **LORENZO LISPI**



Mini 0m

Colours

New



DESIGN **LORENZO LISPI**





Mini 0m



DESIGN **LORENZO LISPI**



Grace



DESIGN LORENZO LISPI, FABRIZIO CRISÀ



Wave





DESIGN **FABRIZIO CRISÀ**



Platinum





DESIGN **LORENZO LISPI**



Isolabella



DESIGN **LORENZO LISPI**



Cube Light



DESIGN **LORENZO LISPI**



Twin



DESIGN LORENZO LISPI, FABRIZIO CRISÀ



Solaris





DESIGN **DAVID LEWIS**





Solaris EDS3

New

EDS3
DeepSilence



Oxygene

New

eds3
DeepSilence




Menhir





DESIGN **DAVID LEWIS**


Black Stream



Cube Light



Gold Stream



Grace



Isolabella



Menhir



Mini Om



Mini Om
Colours



Ola



Om



Om
Special Edition



Oxygene



Platinum



Solaris



Solaris Eds



Space



Star



Twin



Victoria



Wave





Due to the fact that our products are in a continuous process of improvement, Elica may at any time modify the information presented in this catalogue.

Technical Data

EDS3

Lose yourself in the music you love. Listen to the happy bubbling chatter of your kids telling you about their day at school. Luxuriate in the subtle vibrations of the world as it turns around you.

Exceptionally silent, almost imperceptible at low speeds, EDS3 is Elica's latest innovation to enrich your life, providing the maximum possible reduction in noise emission.

Reducing noise pollution by more than 35% compared to traditional cooker hoods, Elica's innovative EDS3 system, working at an airflow of 500 m³/h, provide a noise level of less than 45 db/a.



Magic Wand Control

Our latest cutting edge technology "magically" enclosed in a slender steel stem. The gentlest of touches to the upper section controls the extraction speed, another to the lower and the lighting dims or rises to your command. An illuminated ring on the stem, changes colour with each touch to keep you informed of the current extraction speed.

Perimeter Aspiration

Elica now designs the air itself. Precision engineering directs the airflow across the entire surface of the hood, thus increasing the effective extraction area of the hood. This Elica developed system reduces energy consumption and noise and has led to the development of some of our most striking hood designs.

External Motors

Many Elica models offer an external motor version. Here the motor and fan are either located in a loft space or on an outside wall. The result, superior performance with reduced extractor sound.

Optimised Aspiration System

Elica hoods treat fumes, odour and vapour. Our Optimised Aspiration System ensures the optimum balance between effectiveness, efficiency and quietness.

Evolution

Evolution, a unique super-compact "all-in-one" system, patented by Elica, has revolutionised the world of air treatment appliances for the kitchen.

Evolution uses the same cutting edge technology with attention to detail that makes Elica's products so special.

Integrated into a compact stainless steel cylinder are all the components needed for a highly efficient extractor hood including the motor, fan, filters, lighting and controls. Evolution truly is the first fully integrated system for air treatment.

Remote Control

For even greater convenience, selected models offer, as an option, the ease of a remote control for both light and extraction control. Innovative design once again gives the remote control units that special "Elica" look.

Testing to the Most Vigorous Standards

The stated performance levels are measured according to the strictest and most up-to-date technical standards (Airflow/Pressure Standard IEC61591). The values (expressed in m³/h) are reported in the features list of each product and are designated as follows:

- IEC Airflow: test carried out with a standard pipe applied to the product.
- Maximum Airflow (Free Outlet): test carried out directly at the outlet point of the hood.
- Noise level: standards IEC60704-1; IEC60704-2-13.
- Power consumption: power of motor and lighting.

Technology



Space with Elica Deep Silence (EDS3)



Remote Control




Grace with Magic Wand Control



Om with Perimeter Aspiration




Black Stream



Finish	Stainless steel with black glass
Controls	3 speed illuminated 'Magic Wand' touch sensor + boost
Lights	1 x 40w halogen lamp + 3 x 40w lamps
Grease filter	Metal washable grease filters & long-life odour filters included
Available widths	510 mm
Maximum airflow	500 m ³ /h
Maximum airflow	280 m ³ /h (recycling)
IEC airflow	400 m ³ /h
Noise level	43-62 dB(A)
Power consumption	260w
	Ceiling or wall mounted 'Evolution' system

Charcoal Filter	F00433	
	Description	Code
Black Stream	BLACK STREAM IX/F 51	72716415
Kit Remote Control	KIT REMOTE CONTROL	KIT02183
Ducting Kit Evolution	DUCTING KIT EVOLUTION	KIT01611


Cube Light



Finish	Stainless steel with illuminated glass
Controls	3 speed illuminated 'Magic Wand' touch sensor + boost
Lights	1 x 40w halogen lamp + 40w neon lamp
Grease filter	Metal washable grease filters & long-life odour filters included
Available widths	900 mm
Maximum airflow	500 m ³ /h
Maximum airflow	280 m ³ /h (recycling)
IEC airflow	400 m ³ /h
Noise level	43-62 dB(A)
Power consumption	180w
	Wall mounted 'Evolution' system

Charcoal Filter	F00433	
	Description	Code
Cube Light	CUBE LIGHT IX/F 90	65414589/1
Ducting Kit Evolution	KIT REMOTE CONTROL	KIT02183
Kit Cube Light	CHIMNEY KIT CUBE LIGHT	KIT01556


Gold Stream



Finish	Stainless steel with glass
Controls	3 speed illuminated 'Magic Wand' touch sensor + boost
Lights	1 x 40w halogen lamp + 3 x 40w lamps
Grease filter	Metal washable grease filters & long-life odour filters included
Available widths	510 mm
Maximum airflow	500 m ³ /h
Maximum airflow	280 m ³ /h (recycling)
IEC airflow	400 m ³ /h
Noise level	43-62 dB(A)
Power consumption	260w
	Ceiling or wall mounted 'Evolution' system

Charcoal Filter	F00433	
	Description	Code
Gold Stream	GOLD STREAM IX/F 51	72216362
Kit Remote Control	KIT REMOTE CONTROL	KIT02183
Ducting Kit Evolution	DUCTING KIT EVOLUTION	KIT01611


Grace



Finish	Stainless steel with illuminated glass	
Controls	3 speed illuminated 'Magic Wand' touch sensor + boost	
Lights	1 x 40w halogen lamp + 3 x 40w lamps	
Grease filter	Metal washable grease filters & long-life odour filters included	
Available widths	510 mm	
Maximum airflow	500 m ³ /h	
Maximum airflow	280 m ³ /h (recycling)	
IEC airflow	400 m ³ /h	
Noise level	43-62 dB(A)	
Power consumption	260w	
	Ceiling or wall mounted 'Evolution' system	

Charcoal Filter	F00433	
	Description	Code
Grace	GRACE IX/F 51	65414586/1
Kit Remote Control	KIT REMOTE CONTROL	KIT02183
Ducting Kit Evolution	DUCTING KIT EVOLUTION	KIT01611


Isolabella



Finish	Stainless steel and glass	
Controls	3 speed illuminated 'Magic Wand' touch sensor + boost	
Lights	1 x 40w halogen lamp	
Grease filter	Metal washable grease filters & long-life odour filters included	
Available widths	900 mm	
Maximum airflow	500 m ³ /h	
Maximum airflow	280 m ³ /h (recycling)	
IEC airflow	400 m ³ /h	
Noise level	43-62 dB(A)	
Power consumption	140w	
	Ceiling mounted 'Evolution' system	


Charcoal Filter	F00433	
	Description	Code
Isolabella	ISOLABELLA IX/F 90	65414591/1
Kit Remote Control	KIT REMOTE CONTROL	KIT02183
Ducting Kit Evolution	DUCTING KIT EVOLUTION	KIT01611

Menhir




Finish	Stainless steel	
Controls	3 speed illuminated soft push buttons	
Lights	4 x 20w halogen lamps	
Grease filter	Professional washable metal grease filter	
Ducting connector	150mm (6in) diameter ducting connector	
Available widths	440 x 310 mm	
Maximum airflow	800 m ³ /h	
IEC airflow	650 m ³ /h	
Noise level	43-61 dB(A)	
Power consumption	260w	
	Ceiling mounted Includes sound absorbing kit Optimised aspiration system Available with 1200 m ³ /h external motor	
Charcoal Filter	F00262/2S	
	Description	Code
Menhir Soft IX/A	MENHIR SOFT IX/A	56010692
Menhir Long Chimney	MENHIR H SOFT IX/A	56012734
Menhir External Motor	MENHIR RM SOFT IX/A	56010749

Mini Om - Mini Om Colours



Ola




Finish	Glass with polished stainless steel chimney kit
Controls	3 speed illuminated soft push buttons
Lights	2 x 20w halogen lamps
Grease filter	Metal washable grease filter
Ducting connector	150 mm (6in) diameter ducting connector
Available widths	550 mm
Maximum airflow	850 m ³ /h
IEC airflow	660 m ³ /h
Noise level	41-57 dB(A)
Power consumption	290w
	Includes sound absorbing kit
	Perimeter aspiration

Charcoal Filter	F00431	
	Description	Code
Mini Om Apple Green	Mini OM Apple Green F/55	61615788
Mini Om Electric Blue	Mini OM Electric Blue F/55	61615789
Mini Om Provence	Mini OM Provence F/55	61615790
Mini Om Yellow Curry	Mini OM Yellow Curry F/55	61615791
Mini Om Sunrise Orange	Mini OM Sunrise Orange F/55	61615792
Mini Om Turquoise	Mini OM Turquoise F/55	61615793
Mini Om White	MINI OM SOFT WH/F/55	61614584
Mini Om Black	MINI OM SOFT BL/F/55	61614583
Chimney Kit Mini Om Long	CHIMNEY KIT MINI OM LONG	KIT01513
Chimney Kit Mini Om Short	CHIMNEY KIT MINI OM SHORT	KIT01797

Finish	Stainless steel or pearl
Controls	3 speed illuminated 'Magic Wand' touch sensor + boost
Lights	1 x 40w halogen lamp + 3 x 40w lamps
Grease filter	Metal washable grease filters & long-life odour filters included
Available widths	510 mm
Maximum airflow	500 m ³ /h
Maximum airflow	280 m ³ /h (recycling)
IEC airflow	400 m ³ /h
Noise level	43-62 dB(A)
Power consumption	260w
	Ceiling or wall mounted 'Evolution' system

Charcoal Filter	F00433	
	Description	Code
Ola	OLA Bright&Turquoise IX/F 51	65416190
Ola	OLA Bright&Red IX/F 51	65416191
Ola	OLA Pearl&Green IX/F 51	65416192
Ola	OLA Pearl&Violet IX/F 51	65416193
Kit Remote Control	KIT REMOTE CONTROL	KIT02183
Ducting Kit Evolution	DUCTING KIT EVOLUTION	KIT01611


Om



Finish	Glass with polished stainless steel chimney kit
Controls	3 speed electronic touch screen controls + boost
Lights	4 x 20w halogen lamps
Grease filter	Metal washable grease filter
Ducting connector	150 mm (6in) diameter ducting connector
Available widths	800 mm
Maximum airflow	850 m ³ /h
IEC airflow	660 m ³ /h
Noise level	41-57 dB(A)
Power consumption	330w
	Includes sound absorbing kit
	Perimeter aspiration


Charcoal Filter	F00264/1S	
	Description	Code
Om White	OM TOUCH SCREEN WH/F/80	61612978
Om Black	OM TOUCH SCREEN BL/F/80	61612979
Chimney Kit Om Long	CHIMNEY KIT OM LONG	KIT01054
Chimney Kit Om Short	CHIMNEY KIT OM SHORT	KIT01796

Om Special Edition




Finish	Glass with polished stainless steel chimney kit	
Controls	3 speed electronic touch screen controls + boost	
Lights	4 x20w halogen lamps	
Grease filter	Metal washable grease filter	
Ducting connector	150 mm (6in) diameter ducting connector	
Available widths	800 mm	
Maximum airflow	850 m ³ /h	
IEC airflow	660 m ³ /h	
Noise level	41-57 dB(A)	
Power consumption	330w	
	Includes sound absorbing kit Perimeter aspiration Automatic opening lighting system	
Charcoal Filter	F00264/1S	
	Description	Code
Om Special Edition Black	OM SPECIAL EDITION TC BL/F/80	61616219
Om Special Edition White	OM SPECIAL EDITION TC WH/F/80	61616318
Kit Remote Control	KIT REMOTE CONTROL	KIT02183
Chimney Kit Om	CHIMNEY KIT OM	KIT01054

Oxygene




Finish	Stainless steel	
Controls	3 speed illuminated soft push buttons	
Lights	4 x20w halogen lamps	
Grease filter	EDS3 filter	
Ducting connector	150 mm (6in) diameter ducting connector	
Available widths	1000X700 mm	
Maximum airflow	900 m ³ /h	
IEC airflow	820 m ³ /h	
Noise level	35-56 dB(A)	
Power consumption	300w	
	Elica Deep Silence (EDS3) Perimeter aspiration	
Charcoal Filter	KIT01916	
	Description	Code
Oxygene Eds	OXYGENE EDS IX/A/120x70	65316030

Platinum




Finish	Stainless steel	
Controls	3 speed illuminated 'Magic Wand' touch sensor + boost	
Lights	1 x 40w halogen lamp + 3 x 40w lamps	
Grease filter	Metal washable grease filters & long-life odour filters included	
Available widths	510 mm	
Maximum airflow	500 m ³ /h	
Maximum airflow	280 m ³ /h (recycling)	
IEC airflow	400 m ³ /h	
Noise level	43-62 dB(A)	
Power consumption	260w	
	Ceiling or wall mounted 'Evolution' system	
Charcoal Filter	F00433	
	Description	Code
Platinum	PLATINUM IX/F 51	65414587/1
Kit Remote Control	KIT REMOTE CONTROL	KIT02183
Ducting Kit Evolution	DUCTING KIT EVOLUTION	KIT01611

Solaris




Finish	Stainless steel and glass	
Controls	3 speed illuminated soft push buttons	
Lights	2 x 20w halogen lamps	
Grease filter	Metal washable grease filter	
Ducting connector	150mm (6in) diameter ducting connector	
Available widths	900 mm	
Maximum airflow	800 m³/h	
IEC airflow	650 m³/h	
Noise level	43-59 dB(A)	
Power consumption	220w	
	Includes sound absorbing kit Smart installation system Perimeter aspiration	
Charcoal Filter	F00262/2S	
	Description	Code
Solaris 90	SOLARIS SOFT IX/A/90	65314581

Solaris EDS




Finish	Stainless steel and glass	
Controls	3 speed illuminated soft push buttons	
Lights	4 x 20w halogen lamps	
Grease filter	EDS3 filter	
Ducting connector	150mm (6in) diameter ducting connector	
Available widths	1200 mm	
Maximum airflow	900 m³/h	
IEC airflow	820 m³/h	
Noise level	35-56 dB(A)	
Power consumption	300w	
	Elica Deep Silence (EDS3) Perimeter aspiration 3D Adjustment	
Charcoal Filter	KIT01916	
	Description	Code
Solaris Eds 120	SOLARIS EDS IX/A/120	65315961

Space



Finish	Stainless steel + Tempered glass	
Controls	Digital-R (4-speed timer-controlled with "Pure" function)	
Lights	2 x 20w halogen lamps	
Grease filter	EDS3 filter	
Ducting connector	150mm (6in) diameter ducting connector	
Available widths	780 mm	
Maximum airflow	900 m³/h	
IEC airflow	820 m³/h	
Noise level	35-56 dB(A)	
Power consumption	260w	
	Elica Deep Silence (EDS3) Pure Technology 3D Adjustment	
Charcoal Filter	KIT01916	
	Description	Code
Space Eds Black	SPACE EDS DIGITAL R BL/A/78	68815548
Space Eds White	SPACE EDS Digital R WH/A/78	68816317
Chimney Kit Space (H800)	CHIMNEY KIT SPACE	KIT01932


Star



Finish	Illuminated glass sphere with stainless steel	
Controls	3 speed illuminated 'Magic Wand' touch sensor + boost	
Lights	1 x 40w halogen lamp + 3 x 40w lamps	
Grease filter	Metal washable grease filters & long-life odour filters included	
Available widths	470 mm	
Maximum airflow	500 m³/h	
Maximum airflow	280 m³/h (recycling)	
IEC airflow	400 m³/h	
Noise level	43-62 dB(A)	
Power consumption	260w	
	Ceiling mounted 'Evolution' system	

Charcoal Filter	F00433	
	Description	Code
Star	STAR IX/F 47	65414592/2
Kit Remote Control	KIT REMOTE CONTROL	KIT02183


Twin



Finish	Stainless steel	
Controls	3 speed illuminated 'Magic Wand' touch sensor + boost	
Lights	2 x 40w halogen lamp + 6 x 40w lamps	
Grease filter	Metal washable grease filters & long-life odour filters included	
Available widths	900 mm	
Maximum airflow	1000 m³/h	
Maximum airflow	560 m³/h (recycling)	
IEC airflow	800 m³/h	
Noise level	45-65 dB(A)	
Power consumption	520w	
	Ceiling mounted 'Evolution' system	

Charcoal Filter	F00433	
	Description	Code
Twin	TWIN IX/F 90	65414590/1
Kit Remote Control	KIT REMOTE CONTROL	KIT02183


Victoria



Finish	Illuminated glass with stainless steel	
Controls	3 speed illuminated 'Magic Wand' touch sensor + boost	
Lights	1 x 40w halogen lamp + 3 x 40w lamps	
Grease filter	Metal washable grease filters & long-life odour filters included	
Available widths	510 mm	
Maximum airflow	500 m³/h	
Maximum airflow	280 m³/h (recycling)	
IEC airflow	400 m³/h	
Noise level	43-62 dB(A)	
Power consumption	260w	
	Ceiling or wall mounted 'Evolution' system	

Charcoal Filter	F00433	
	Description	Code
Victoria	VICTORIA IX/F 51	60416363
Kit Remote Control	KIT REMOTE CONTROL	KIT02183
Ducting Kit Evolution	DUCTING KIT EVOLUTION	KIT01611


Wave



Finish	Stainless steel
Controls	3 speed illuminated 'Magic Wand' touch sensor + boost
Lights	1 x 40w halogen lamp + 3 x 40w lamps
Grease filter	Metal washable grease filters & long-life odour filters included
Available widths	510 mm
Maximum airflow	500 m ³ /h
Maximum airflow	280 m ³ /h (recycling)
IEC airflow	400 m ³ /h
Noise level	43-62 dB(A)
Power consumption	260w
	Ceiling or wall mounted 'Evolution' system

Charcoal Filter	F00433	
	Description	Code
Wave	WAVE IX/F 51	65414588/1
Kit Remote Control	KIT REMOTE CONTROL	KIT02183
Ducting Kit Evolution	DUCTING KIT EVOLUTION	KIT01611

Remote Motor



Finish	Stainless steel
Maximum airflow	1200 m ³ /h
IEC airflow	850 m ³ /h
Pressure	575 Pa
Noise level at speed 3	50 dB(A)
Noise level at 300 m3/h	38 dB(A)
Absorption	180 watt

Accessories

For information on an extensive range of ducting, filters and accessories please refer to the DR Cooker Hoods Essentials brochure.

	Description	Code
Chimney Kit	CHIMNEY KIT OM	KIT01054
	CHIMNEY KIT MINI OM	KIT01513
	CHIMNEY KIT SPACE	KIT01932
	CHIMNEY KIT CUBE LIGHT	KIT01556
	DUCTING KIT EVOLUTION	KIT01611
Filter	FC Type 20 Long Life	F00262/2S
	FC Type 31 Long Life	F00264/1S
	FC Type 45 Long Life	F00431
	FC Long Life EDS3	KIT01916
	Evolution Long Life FC Kit	F00433
Installation Kit	Evolution Cable Extention Kit (2,5m)	KIT01889
	Evolution Cable Extention Kit Isolabella (2,5m)	KIT01890
	Evolution Cable Extention Kit (5m)	KIT01921
	Evolution Cable Extention Kit Isolabella (5m)	KIT01922
	Kit Remote Motor	40010625

