




XX - Position number
YY - Quantity

Exploded view, Jøtul F 100 ECO.2

Jøtul AS
Fredrikstad, Norway

Draw.no:
900354-P00

Date:
15.12.2020

Jøtul F 100 ECO.2

F 100 ECO.2 LL BP cat. no. 30059879, F 100 ECO.2 LL SE BP cat. no. 30059881

F 100 ECO.2 LL SE BBE cat. no.30059883, F 100 ECO.2 LL SE IVE cat. no. 30059884 (LL=Long Legs 215mm, SE=Special Edidtion= Door without arches) F

100 ECO.2 SL BP cat. no. 30059880, F 100 ECO.2 SL SE BP cat. no. 30059882 (SL=Short Legs 155mm, SE=Special Edidtion= Door without arches)

F 100 ECO.2 SL SE BBE cat. no.30060932, F 100 ECO.2 SL SE IVE cat. no. 30060933 (SL=Short Legs 155mm, SE=Special Edidtion= Door without arches)

BP= Sort lakk/Black Paint, BBE= Blåsort Emalje/Blue Black Enamel, IVE= Edelhvit Emalje/ Ivory enamel UP= Ulakkert/Unpainted

Pos. no.	Spareparts	Description	Dim./Spec.
1	12018369	Side plate left BP	Cast iron min. 4mm thickness
1	12018367	Side plate left BBE	Cast iron min. 4mm thickness
1	12030896	Side plate left IVE	Cast iron min. 4mm thickness
2		Vermiculite burn plate left	Vermiculite 600Kg/m³
3	12054617	Inner bottom, rear UP	Cast iron min. 4mm thickness
4	12054616	Fire grate BP	Cast iron min. 4mm thickness
5	12018340	Valve ignition UP	Cast iron min. 4mm thickness
6	12015042	Leg 215mm BP (For LL versions)	Cast iron min. 4mm thickness
6	12015034	Leg 215mm BBE (For LL versions)	Cast iron min. 4mm thickness
6	12015035	Leg 215mm IVE (For LL versions)	Cast iron min. 4mm thickness
6	51012223	Leg 215mm (4 pcs) BP (For LL versions)	Cast iron min. 4mm thickness
6	51012224	Leg 215mm (4 pcs) BBE (For LL versions)	Cast iron min. 4mm thickness
6	51012227	Leg 215mm (4 pcs) IVE (For LL versions)	Cast iron min. 4mm thickness
7	10024640	Heat shield under	Steel
8	10024642	Ash pan	Steel
9	12054623	Bottom plate BP	Cast iron min. 4mm thickness
9	12054966	Bottom plate BBE	Cast iron min. 4mm thickness
9	12054967	Bottom plate IVE	Cast iron min. 4mm thickness
10	10024638	Handle	Ø6mm steel
11	12021379	Ash lip BP	Cast iron min. 4mm thickness
11	12021380	Ash lip BBE	Cast iron min. 4mm thickness
11	12021428	Ash lip IVE	Cast iron min. 4mm thickness
12	12018374	Front plate BP	Cast iron min. 4mm thickness
13	12020930	Glass clip	Steel & glass fibre gasket
14	10024515	Latch bolt	Steel
15	10023578	Washer M10 Black, Special	Ø10,5xØ25x1,5 Steel
16	10023475	Nut Hexagon M6 DIN 934	St8.8 / ANSI B18.2
17	10024011	Spring For Latch	Spring Steel
18	12017311	Latch, black painted	Cast iron min. 4mm thickness
18	12020110	Latch, nickel-plated	Cast iron min. 4mm thickness
19	10023464	Washer	Ø6,4xØ12,5x1,6, St8,8, DIN 125, Steel
20	10023919	Washer special	Ø23xØ8,2x2 insulating mat.
21	10024025	Wooden knob	Hardved\hard wood
22	10024023	Sleeve	Ø8xØ6xL27,5mm, Steel
23	10023611	Screw, machine pan head pozidrive	M6x40, DIN 7985, Steel
24	10023684	Screw M6x25 Long Dog Point Set	Steel
25	12021599	Door , complete excl/glass SE (Door without arches BP)	BP
25	12054959	Door , complete excl/glass SE (Door without arches BBE)	BBE
25	12054962	Door , complete excl/glass SE (Door without arches IVE)	IVE
26		Door without arches SE BP	
26		Door without arches SE BBE	BBE
26		Door without arches SE IVE	IVE
27	12021376	Door , complete excl/glass (Door with arches BP)	BP
28		Door without arches BP	
29	10024654	Glass	379x270x4mm, keramisk\ceramic
30	10024103	Hinge pin, black chromated	Ø6x33mm, Steel
30	10023975	Hinge pin, nickel plated	Ø6x33mm
31	10054451	Burn plates kit L+R	Vermiculite 600Kg/m³
32		Vermiculite burn plate right	Vermiculite 600Kg/m³
33	12018364	Side plate right BP	Cast iron min. 4mm thickness
33	12018362	Side plate right BBE	Cast iron min. 4mm thickness
33	12030893	Side plate right IVE	Cast iron min. 4mm thickness
34	10024413	Sleeve	Ø10xØ6,2xL10mm, Steel
35	12060635	Air deflector BP	Cast iron min. 4mm thickness
36	12018338	Valve plate UP	Cast iron min. 4mm thickness
37	12017438	Valve BP	Cast iron min. 4mm thickness
38	10054452	Air restrictor	Steel
39	12021582	Top plate complete BP	Cast iron min. 4mm thickness
39	12021583	Top plate complete BBE	Cast iron min. 4mm thickness
39	12033806	Top plate complete IVE	Cast iron min. 4mm thickness

Pos. no.	Spareparts	Description	Dim./Spec.
40	12018816	Smoke outlet, dripless Ø125 BP	Cast iron min. 4mm thickness
40	12018813	Smoke outlet, dripless Ø125 BBE	Cast iron min. 4mm thickness
40	12049995	Smoke outlet, dripless Ø125 IVE	Cast iron min. 4mm thickness
41	12054621	Exhaust deflector UP	Cast iron min. 4mm thickness
42	10059973	Baffle Vermiculite	Vermiculite 600Kg/m³
43	12060633	Rear plate UP	Cast iron min. 4mm thickness
44	12018811	Smoke outlet cover BP	Cast iron min. 4mm thickness
44	12018807	Smoke outlet cover BBE	Cast iron min. 4mm thickness
44	12018808	Smoke outlet cover IVE	Cast iron min. 4mm thickness
45	12018394	Cover for air manifold UP	Cast iron min. 4mm thickness
46	10024639	Heat shield rear, black	Steel
46	10050009	Heat shield rear, untreated alu zn	0,9mm Alu zn belagt stål\coated steel
47	12015095	Leg 155mm BP (For SL versions)	Cast iron min. 4mm thickness
47	12015093	Leg 155mm BBE (For SL versions)	Cast iron min. 4mm thickness
47	12028848	Leg 155mm IVE (For SL versions)	Cast iron min. 4mm thickness
47	51012177	Leg 155mm (4 pcs) BP (For SL versions)	Cast iron min. 4mm thickness
47	51012178	Leg 155mm (4 pcs) BBE (For SL versions)	Cast iron min. 4mm thickness
47	51012179	Leg 155mm (4 pcs) IVE (For SL versions)	Cast iron min. 4mm thickness
48	10026011	Loose handle flat	2mm steel
49	10060981	Protection Bar For Sweep Ball	Steel
50		Gasket under glass	V-125x15 mm graph W/A (2pcs)
51		Gasket for glass	LD-250-2 graph Ø6,4x1300mm
52		Gasket Between door and front	LD 375-2 Ø9,5x1620mm
53		Gasket for valve plate	LD-250-2 graph Ø6,4x835mm
54		Gasket between smoke outlet and flue	LD-187 graph Ø4,8x500mm
55		Gasket for top plate	LD 375-2 Ø9,5x1620mm
56		Gasket between rear plate and cover for air manifold	LD-250-2 graph Ø6,4x750mm (2pcs)
57		Gasket (for rear plate)	V-125x30 mm graph W/A (4pcs)
60	10023576	Screw Socket Set with Cup point M6x25 S DIN 916	Steel, black
61	10023545	Screw Hex Cap Flange M6x12 DIN 6921	St8.8 / ANSI B18.2
62	10023541	Screw Hex Cap Flange M6x16 DIN 6921	St8.8 / ANSI B18.2
63	10023540	Screw Hex Cap Flange M6x20 DIN 6921	St8.8 / ANSI B18.2
64	10023536	Screw Hex Cap Flange M6x25 DIN 6921	St8.8 / ANSI B18.2
65	10023574	Screw Hex Cap Flange M6x40 DIN 6921	St8.8 / ANSI B18.2
66	10023561	Screw cylinder head int.hex. low head M6x16 DIN 7984	St8.8 / ANSI B18.2 ,black
67	10048871	Screw hex cap M6x16 selfthread DIN 7500D	Steel, ELZn
68	10023666	Nut Hexagon Cap Flange M6 DIN 6923	St8.8 / ANSI B18.2
69	10023780	Washer M6 Ø6.4xØ18x1.6 DIN 9021	St8.8 / ANSI B18.2
70	10023559	Washer M8 Ø8.4xØ20x1.5 DIN 522	St8.8 / ANSI B18.2
71	10024339	Washer Ø6.2x12x1.8 Brass	Brass
72	10023998	Sleeve	Ø10xØ6,2xL15mm, Steel
73	51012033	Smoke outlet, dripless Ø125 BP (for UK)	Cast iron min. 4mm thickness
73	51012034	Smoke outlet, dripless Ø125 BBE (for UK)	Cast iron min. 4mm thickness
73	51050088	Smoke outlet, dripless Ø125 IVE (for UK)	Cast iron min. 4mm thickness
74	12021463	Smoke outlet, dripless Ø150 BP	Cast iron min. 4mm thickness
75	12018329	Smoke Outlet, Ø125mm non dripless BP	Cast iron min. 4mm thickness
75	12018328	Smoke Outlet, Ø125mm non dripless BBE	Cast iron min. 4mm thickness
76	50012956	Heatshield Rear , extra complete BP	Steel
77	51012191	Floor Plates Cast Iron Norway BBE	Cast iron min. 4mm thickness width 630, depth 766, height 17
78		Floor Plate Under Cast Iron BBE	Cast iron min. 4mm thickness width 630, depth 467, height 17
79		Floor Plate Front Cast Iron BBE	Cast iron min. 4mm thickness width 630, depth 317, height 17
80	12021378	Wooden knob and small parts	
81	12021209	Spring for self closing door	
82	12021450	Latch compl (front door) Black	
82	12021451	Latch compl (front door) Nickel crom	
83	51013589	Adaptor Ø125-Ø130mm BP	Steel, 0,8mm thickness
84	51061366	Adaptor Kit for Germany	
			Draw.no: 900355-P01