




XX - Position number
YY - Quantity


Position number 92 UK :
only for United Kingdom

Partlist, Jøtul F 305 Series, Long legs

Jøtul AS
Fredrikstad, Norway

Draw.no: Sheet 1/3
900172-P01

Date:
01.08.2016



XX - Position number
YY - Quantity

Position number 92 UK :
only for United Kingdom


Partlist, Jøtul F 305 Series, Base

Jøtul AS
Fredrikstad, Norway


Draw. no: Sheet 2/3
900172-P01

Date:
01.08.2016


Pos. 115 (for legs)




Pos. 136 (51048012)




Pos. 126 (51048022)




Pos. 110




Pos. 120 (51048254)




Pos. 135 (51048191)




Pos. 130 (51012164)




Pos. 133 (50048173)




Pos. 131 (51047509)



Pos. 132 (50048171)



Pos. 134 (51048190)



Pos. 129 (151608)



Partlist, Jøtul F 305 Series, Optional equipment

Jøtul AS
Fredrikstad, Norway

Draw. no: Sheet 3/3
900172-P01

Date:
01.08.2016

Jøtul F305				
Position	Part No.	Position Consists of	Description	Dim./Spec.
1	J12048044	If the product is older than pin 437670, 26.01.2017, also order 10047057(pos.32) and 10023576(pos. 60).	Handle Door BE	Cast Iron min 4mm thickness
1	J12048672	If the product is older than pin 437670, 26.01.2017, also order 10047057(pos.32) and 10023576(pos. 60).	Handle Door WHE	Cast Iron min 4mm thickness
2	J12048046	2,95,98	Glass Holder Incl. 2 Gaskets BP	Cast Iron min 4mm thickness
2	J12051313	2,95,98 (Before Lot 426313 Pin 20 order 12048046)	Glass Holder Incl. 6 Gaskets BP For WHE	Cast Iron min 4mm thickness
4	J12048050		Front Plate BP	Cast Iron min 4mm thickness
5	J12031170		Smoke outl Ø150 dripless UP	Cast Iron min 4mm thickness
6	J12048096		Top plate BP	Cast Iron min 4mm thickness
6	J12048642		Top plate WHE	Cast Iron min 4mm thickness
7	J12048072		Side Plate Left BP	Cast Iron min 4mm thickness
7	J12048636		Side Plate Left WHE	Cast Iron min 4mm thickness
8	J12048052		Front Rear Left BP	Cast Iron min 4mm thickness
9	J12048108		Exhaust Deflector UP	Cast Iron min 4mm thickness
10	J12048107		Air Manifold Upper UP	Cast Iron min 4mm thickness
11	J12048100		Air Manifold Lower UP	Cast Iron min 4mm thickness
12	J12048546		Rear Plate Inner UP	Cast Iron min 4mm thickness
13	J12048110		Smoke Outlet Cover BP	Cast Iron min 4mm thickness
13	J12048640		Smoke Outlet Cover WHE	Cast Iron min 4mm thickness
14	J12048093		Rear Plate BP	Cast Iron min 4mm thickness
14	J12048638		Rear Plate WHE	Cast Iron min 4mm thickness
15	J12048054		Front Rear Right BP	Cast Iron min 4mm thickness
16	J12048091		Side plate right BP	Cast Iron min 4mm thickness
16	J12048637		Side plate right WHE	Cast Iron min 4mm thickness
17	J12044799		Connector Outside Air Ø80/100 UP	Cast Iron min 4mm thickness
18	J12048047	18,37,41,47,48,63(6pcs),67,104,105,106,107,108	Bottom Plate Incl/Parts UP	Cast Iron min 4mm thickness
18	J12048676	18,37,41,47,48,63(6pcs),67,104,105,106,107,108	Bottom Plate Incl/Parts UP/For enameled stove	Cast Iron min 4mm thickness
19	J12048098		Burn plate rear BP	Cast Iron min 4mm thickness
20	J12049200		Fire Grate BP	Cast Iron min 4mm thickness
21	J12049199		Log retainer BP	Cast Iron min 4mm thickness
22	J12048125		Base side left BP	Cast Iron min 4mm thickness
23	J12048123		Base Rear Plate BP	Cast Iron min 4mm thickness
24	J12048127		Base side right BP	Cast Iron min 4mm thickness
25	J12048129		Base Bottom Plate BP	Cast Iron min 4mm thickness
26	J12048121		Base Front Plate BP	Cast Iron min 4mm thickness
27	J12048112		Leg Left Front, Right Rear LL, Height 350mm BP	Cast Iron min 4mm thickness,
27	J12048644		Leg Left Front, Right Rear LL, Height 350mm WHE	Cast Iron min 4mm thickness,
28	J12048117		Leg Right Front, Left Rear LL, Height 350mm BP	Cast Iron min 4mm thickness
28	J12048645		Leg Right Front, Left Rear LL, Height 350mm WHE	Cast Iron min 4mm thickness
30	J12048119	3,96(2pcs),97 3,96(2pcs),97,98 (Before Lot Lot 426313 Pin 20 order 12051313 in addition)	Door Incl. Gaskets BP	
30	J12051462		Door Incl. Gaskets WHE	
31	J10024011		Spring For Latch	Spring Steel
32	J10047057	If the product is older than pin 437670, 26.01.2017, also order Handle(pos. 1) and Screw(pos. 60).	Hook inclusive Bar	steel
33	J10047065		Glass Door	512x360mm Ceramic glass 4mm thick
34	J10047774	55,69,89,76(2pcs),81(2pcs),88(1pcs),56(2pcs)	Hengsel for dar	
35	J10047877	3 parts	Vermiculite parts, Baffle And Side Burn Plates	Vermiculite 600Kg/m³
36	J51049928		Convection Shield, Rear BP	Steel
36	J51049929		Convection Shield, Rear WP	Steel
37	J10026515		Sleeve For Air Valve	Ø12XØ8X4,5mm, Steel
38	J10024264		Spring	Stainless Spring Steel
39	J10047364		Valve Rod	Steel
40	J10047058		Air Handle BP	Steel
41	J10025839		Sleeve For Handles	Ø10XØ8,1X31mm, Steel
42	J10026565		Spring For Valves	Stainless Spring Steel
43	J10047363		Ignition Handle BP	Steel
44	J10047056		Cover Inlet Air	Steel
45	J10047366		Ignition Valve	Steel
46	J10047202		Valve Spring	Spring Steel
47	J10047059		Air Valve	Steel
48	J10047060		Valve Plate	Steel
49	J10047074		Lock Bracket	Steel
50	J10047095		Ash Pan	Steel
51	J10047130		Cover For Base and Ash Lip BP	Steel
52	J10048873		Heatshield Under BP and UP	Steel
53	J10047169		Cover Outside Air For Base BP	Steel
54	J10038419		Hight Adjustment Screw M8x30	Steel
56	J10038342		Hinge Sintred	Sint, C50
57	J10037359	ONLY FOR BLACK PAINTED PRODUCTS	Sleeve	Ø10XØ8X15mm, Steel
58	J10026400		Distance Sleeve	Steel
60	J10023576	If the product is older than pin 437670, 26.01.2017, Handle(pos. 1) and Hook (pos.32) is needed.	Screw Socket Set with Cup point M6x25	Steel
61	J10023578		Washer M10 Black, Special	Ø10,5xØ25x1,5 Steel
62	J10023545		Screw Hex Cap Flange M6x12 DIN 6921	St8.8 / ANSI B18.2
63	J10023661		Screw Hex Cap Flange M8x16 DIN 6921	St8.8 / ANSI B18.2
64	J10023662		Screw Hex Cap Flange M8x20 DIN 6921	St8.8 / ANSI B18.2
65	J10023588		Screw Cylinder Head Int Hexagon M6x12 DIN 912	St8.8 / ANSI B18.2
66	J10023665		Screw Hex Cap Flange M8x40 DIN 6921	St8.8 / ANSI B18.2
67	J10023522		Screw Hexagon Cap M8x60 DIN 933	St8.8 / ANSI B18.2
68	J10038283		Screw Hexagon Cap M8x80 DIN 933	St8.8 / ANSI B18.2
69	J10023556		Screw Countersunk Flat Head Int Hex M6x16 DIN 7991	St8.8 / ANSI B18.2
69	J10023595		Screw Countersunk Flat Head Int Hex M8x16 DIN 7991	St8.8 / ANSI B18.2
70	J10023660		Screw Hex Cap Flange M8x12 DIN 6921	St8.8 / ANSI B18.2
71	J10023680		Screw Tapping 4,2x13 DIN 6928	Steel
72	J10023664		Screw Hex Cap Flange M8x30 DIN 6921	St8.8 / ANSI B18.2
73	J10023656	ONLY FOR BLACK PAINTED PRODUCTS	Screw Countersunk Flat Head Int Hex M8x30 DIN 7991	St10.9
73	J10023547	ONLY FOR ENAMELED PRODUCTS	Screw Hex Cap Flange M6x35 DIN 6921	St8.8 / ANSI B18.2
73	J10023666	ONLY FOR ENAMELED PRODUCTS	Nut Hexagon Cap Flange M6 DIN 6923	St8.8 / ANSI B18.2
74	J10023559		Washer M8 Ø8,4xØ20x1,5 DIN 522	St8.8 / ANSI B18.2
75	J10023667		Nut Hexagon Cap Flange M8 DIN 6923	St8.8 / ANSI B18.2
76	J10023541		Screw Hex Cap Flange M6x16 DIN 6921	St8.8 / ANSI B18.2
78	10023598		Washer ONDUFLEX D no. 531241	Steel
79	J10023712		Screw Socket Set M8x30 Steel DIN 916	Steel
80	J10023708		Screw Truss Head Int Hex M6x12	Steel
81	J10023666		Nut Hexagon Cap Flange M6 DIN 6923	St8.8 / ANSI B18.2
82	10023540		Screw Hex Cap Flange M6x20 DIN 6921	St8.8 / ANSI B18.2
83	J10023519		Nut Hexagon M8 DIN 934	St8.8 / ANSI B18.2
84	J10023509		Screw Countersunk Flat Head Int Hex M8x25 DIN 7991	St10.9
85	J10023465		Screw Hexagon Cap M8x16 DIN 933	St8.8 / ANSI B18.2
86	J10026268		Protection cap M8 Hexagon black	Polypropylene
87	J10023663		Screw Hex Cap Flange M8x25 DIN 6921	St8.8 / ANSI B18.2
88	J10051183		Hinge Pin With Head Ø8x50 ISO-2341-A	Steel
89	10023475		Nut Hexagon M6 DIN 934	St8.8 / ANSI B18.2
90	J10023470		Screw Hexagon Cap M8x25 DIN 933	St8.8 / ANSI B18.2
91	J10023672	Part is not mandatory from factory	Washer Ø10,1xØ19,4x0,9 black	Steel
92	J10023716		Washer Ø10,1xØ19,4x0,9	Steel
93	J10038500		Lock Nut M8 Collar	Steel
99	J10047761		Insulating Blanket Side	Fibre
103	J10047760		Insulating Blanket Rear	Fibre
110	J51047318	52,85(4pcs),86(4pcs),87(4pcs)111,112	Short Legs (4 pcs) height 150mm BP	Height 150mm
110	J51047340	52,85(4pcs),86(4pcs),87(4pcs)111,112	Short Legs (4 pcs) height 150mm WHE	Height 150mm
111	J12048652		Leg Left Front Right Rear BP	Cast Iron min 4mm thickness
111	J12048667		Leg Left Front Right Rear WHE	Cast Iron min 4mm thickness
112	J12048653		Leg Right Front Left Rear BP	Cast Iron min 4mm thickness
112	J12048669		Leg Right Front Left Rear WHE	Cast Iron min 4mm thickness
115	J51047339	51116	Ash Lip LL/SL BP	
115	J51047341	51116	Ash Lip LL/SL WHE	

Jøtul F305				
Position	Part No.	Position Consists of	Description	Dim./Spec.
120	J51048254	80,89(2pcs),121,122,123,124,125	Spring Self Closing Door	
121	J10047503		Spring EWES T 31980	Spring Steel
122	J10047505		Self Closing Mechanism Part 1	Steel
123	J10024107		Washer Ø6.4xØ18x1.6 black	Steel
124	J10023547		Screw Hex Cap Flange M6x35 DIN 6921	St8.8 / ANSI B18.2
125	J10023590	127128	Screw Cylinder Head Int Hexagon M6x20 DIN 912	St8.8 / ANSI B18.2
126	J51048022		Soapstone Top Complete BP	
126	J51049314		Soapstone Top Complete WHE	
127	J12048023		Cover Soapstone BP	Cast Iron min 4mm thickness
127	J12049809		Cover Soapstone WHE	Cast Iron min 4mm thickness
128	J10047593		Soapstone Top	Soapstone
129	J151608		Protection Grid For Sweep Ball Ø 150mm	Steel, Ø150mm
130	J51012164		Outside Air Connection Ø100mm	
131	J51047509		Outside Air Connection Ø80mm	
132	J50048171		Floor Plate Glass For NO/SE/DK/FI	W872xD704mm, 6mm thick, tempered
133	J50048173		Floor Plate Glass For Germany	W1172xD804mm, 6mm thick, tempered
135	J51048191		Floor Plate Steel For Germany BP	W1172xD1025mm, 1,25mm thick, Black
136	J51048012	76(4pcs),109(8pcs),140,141(2pcs),142,143(4pcs),144(4pcs)	Convection Kit Cast Iron BP	
140	J12049810		Convection Kit Rear Plate BP	Cast Iron min 4mm thickness
141	J12049811		Convection Kit Side Plate Right/Left BP	Cast Iron min 4mm thickness
142	J10049340		Convection Kit Rear Plate Steel BP	Steel, 1,5mm thick, Aluzinc
143	J10023645		Screw Countersunk Flat Head Cap Int Hex M6x40 DIN 7991	St8.8 / ANSI B18.2,Black
144	J10023647		Attachment Washer Ø6XØ15 Black	Steel
145	J10023666		Nut Hexagon Cap Flange M6 DIN 6923	St8.8 / ANSI B18.2
146	J10023709		Screw Countersunk Flat Head Cap Int Hex M6x30 DIN 7991	St8.8 / ANSI B18.2,Black